

# Cypht

Cypht is a webmail client which was added to [Tiki Wiki CMS Groupware](#) version 20.x, and continued to improve in successive versions of Tiki, now at [Tiki 26.x](#).

Cypht can be used with any standard mail server. In the context of WikiSuite, [Virtualmin](#) provides standard email accounts.

Here is the source code: <https://github.com/cypht-org/cypht>

Cypht is available as a standalone webmail client, and within Tiki, it gets additional features like calendaring (ex.: CalDAV). And over time, it will become feature-rich, as is the nature of Tiki's community and development model: [Tiki is the Free / Libre / Open Source \(FLOSS\) Web application with the most built-in features](#). Please see <https://dev.tiki.org/Email-as-a-first-class-citizen>

Cypht has what you'd expect from a webmail client, and some very interesting features like [aggregating email from multiple accounts](#).

Here is how Cypht is different: [Webmail and groupware comparison](#)

## Webmail ? ↗

[⚙ Preferences](#) [👤 My Info](#) [More ▾](#)

Main

Email

[🕒 All](#)

📁 Fastmail user

📁 Gmail user

📁 INBOX 4

+ [Gmail]

⚙ Manage Folders

📁 Yahoo user

Settings

◀

[\[reload\]](#)

☑ All Email

last 7 days - 3 sources@20 each - 7 total

Arrival ↓ ▾



🔄 📁 ⚙

<input type="checkbox"/>	Gmail user	Google	<a href="#">Alerte de sécurité critique</a>	51 minutes, 5...
<input type="checkbox"/>	Gmail user	Google	<a href="#">Alerte de sécurité critique</a>	54 minutes, 8 ...
<input type="checkbox"/>	Gmail user	Google	<a href="#">Alerte de sécurité</a>	55 minutes, 5...
<input type="checkbox"/>	Fastmail us...	The Fastmail ...	<a href="#">Enable security, and other features</a>	2 hours, 52 mi...
<input type="checkbox"/>	Fastmail us...	The Fastmail ...	<a href="#">Choose your address with a personal domain</a>	2 hours, 53 mi...
<input type="checkbox"/>	Fastmail us...	The Fastmail ...	<a href="#">Import your mailbox and calendars</a>	2 hours, 53 mi...
<input type="checkbox"/>	Yahoo user	Yahoo	<a href="#">Welcome to so much more.</a>	3 hours, 7 min...

WikiSuite.org

1

Collaborate Efficiently



# Webmail

⚙ Preferences ⓘ My Info ⌵ More

Main

🔍 Search

✉ Compose

👤 Contacts

📁 Everything

🚩 Flagged

📅 History

➡ Sent

✉ Unread 0

Email

Settings

⬅ [reload]

Home

Welcome to Cypht

Add a popular E-mail source quickly and easily

[Add an E-mail Account](#)

You have 1 IMAP source

[Manage](#)

You don't have any POP3 sources

[Add](#)

You have 1 SMTP source

[Manage](#)

RSS/ATOM services are not enabled for this site. Sorry about that!

Your timezone is set to Europe/Paris [Update](#)

Help

Cypht is a webmail program. You can use it to access your E-mail accounts from any service that offers IMAP, POP3, or SMTP access - which most do.

# Webmail

⚙ Preferences ⓘ My Info ⌵ More

Main

🔍 Search

✉ Compose

👤 Contacts

📁 Everything

🚩 Flagged

📅 History

➡ Sent

✉ Unread 2

Email

Settings

🏠 Home

💻 Servers

⚙ Site

👤 Profiles

📁 Folders

⬅ [reload]

Site Settings

⚙ General

Enable keyboard shortcuts

☐

Show messages inline

☐

Inline Message Style

Right ⌵

Outbound mail format

Plain text ⌵

Always BCC sending address

☐

Language

English ⌵

Theme

White Bread (Default) ⌵

Timezone

Europe/Paris ⌵

Hide folder list icons

☐

Allow handling of mailto links

☐

Show icons in message lists

☐

## Key Features

- Combined inbox, unread, sent, and flagged message views for all your E-mail accounts (and RSS feeds), as well as standard E-mail client folder navigation
- Flexible profiles to combined IMAP accounts with SMTP accounts and setup signatures and reply to details
- Compose messages in plain text, HTML, or Markdown (markdown formatted messages are converted to HTML before being sent)
- Search all your E-mail accounts and RSS feeds at once with a simple form
- Simple interface translation system that does not use gettext or .po files, just arrays of translated strings defined in PHP. Right to left languages are supported.
- Module sets for IMAP, SMTP, LDAP or local contacts, WordPress, Github, and lots more! Check out the Modules page for a complete list.
- Sessions and user data can be stored in any PDO compatible database or flat files on the server
- Authentication is flexible and currently supports IMAP, LDAP, an included database schema, dynamic authentication using popular E-mail providers, auto-discovery based on the user's E-mail domain, or you can roll your own with the site module set
- Sessions and Authentication can be customized without breaking any modules using the site module set
- <https://dev.tiki.org/Cypht-integration>
- <https://doc.tiki.org/Tiki20#Webmail>
- <https://cypht.org/>
- <https://www.linkedin.com/groups/13804559/>
- [Why Cyrus IMAP and Cypht](#)
- <https://unencumberedbyfacts.com/2016/08/26/5-cool-cypht-webmail-features/>
- <https://opensource.com/article/19/1/productivity-tool-cypht-email>
- Cypht has started adding support for JMAP: <https://unencumberedbyfacts.com/2019/01/24/jmap-its-like-imap-but-not-really/>