

How to install Openfire Meetings on ClearOS

2021-07-20: [WikiSuite will now support all major Linux distros](#). Thus, the information below is no longer updated. It may still be valid, or not. It will be eventually removed from this site, so anything relevant should be moved to the appropriate site. For anything related to ClearOS, please search among the following: [ClearOS site](#), [code base](#), [Developer docs](#), [Wiki](#) or [forum](#).

Please [contact](#) us if you would like to help out.

[Openfire](#) is a real time collaboration (RTC) server supporting XMPP (Jabber) and WebRTC. See also [Why Openfire](#).

Quick upgrade

2018-04-23 New versions Openfire 4.2.3 / app-openfire 1.2.8

How to install

```
yum --enablerepo=clearos-contribs-testing install app-openfire
```

How to upgrade

```
yum --enablerepo=clearos-contribs-testing upgrade openfire app-openfire
```

Quick install

Openfire can be installed with the following command on a ClearOS 7.4 box:

1)

```
yum --enablerepo=clearos-contribs-testing install app-openfire
```

2) Go to "System / Accounts / Users" in the menu to:

- Create some users (make sure the "Openfire User" is enabled in App policies for the user you create).

3) Go to "Server / Communication and Collaboration / Openfire" in the menu to:

- Click "Install and Initialize Built-in Directory". (Grab a coffee, this will take several minutes.)

- Click "Configure security Certificates" (TODO: Document what happens when Lets encrypt is enabled : <http://wikisuite.org/How-to-install-Let-s-Encrypt-SSL-certificates-on-ClearOS>).

- Select the admin user.

- Set the XMPP domain.

- Set the Openfire hostname from one of the available SSL certificates on the system. It is HIGHLY recommended that you use LetsEncrypt for this.

4) Follow the link and log in to Openfire.

ClearOS integration includes:

- ClearOS Openfire app
- Openfire
- Plugins: Fastpath, Openfire meetings, Monitoring
- System database provisioning
- LDAP integration
- focus user (openfire-focus) for Openfire meetings
- Letsencrypt

Detailed Install


Assumptions

- This guide assumes your ClearOS server will be the main server for your domain. Thus, your website (powered by Tiki, which includes the ConverseJS XMPP client) will be on the same server.
- You can create e-mails accounts for your domain. This can easily be handled by ClearOS or by your domain name provider.

Information

To Install Openfire 4.x on ClearOS 7.x within the WikiSuite environment follow these steps:

- 1.- Install a fresh ClearOS Server; be sure to run the latest Software updates to the core system.
- 2.- Make sure the clearos-epel repository is enabled
- 3- Include in the installation of:
 - a. The Web Server



Configure domain name

How to set domain name on ClearOS

Please note that Openfire is not multi-tenant, so it is designed to handle just one domain name. Ref: [OF-162](#)

Install Openfire


1.-Log in to your ClearOS via SSH using root.

2.-Install the Openfire app.

Type:


```
yum --enablerepo=clearos-contribs-testing install app-openfire
```

Go to "Server / Communication and Collaboration / Openfire" in the menu (<https://yourserver.wikisuite.org:81/app/openfire>):



Configure OpenLDAP

- 1.-Click "Install and Initialize Built-in Directory". (Grab a coffee, this will take several minutes.)
- 1.-Initialize your OpenLDAP service through the Webconfig-Open LDAP Directory Server Module (https://yourserver.wikisuite.org:81/app/openldap_directory).
- 2.-On the Directory Server Settings page, set the server mode and Base Domain (https://yourserver.wikisuite.org:81/app/openldap_directory/settings/edit).
- 3.-On the Directory Server Policies page, set the Publish Policy and Accounts access according to your requirements (https://yourserver.wikisuite.org:81/app/openldap_directory/policies/edit).
- 4.-Don't forget to create one or two users as they will be used in the Openfire configuration phase. Use: (<https://yourserver.wikisuite.org:81/app/users/add>).



Configure SSL certificates / Let's Encrypt

- We highly recommend you use Let's Encrypt. Especially since as of this writing (2018-04-01, no joke...), self-signed certificate integration isn't fully functional (see <https://github.com/WikiSuite/app-openfire/issues/7>).
 - If you want to use it, make sure LetsEncrypt is fully set up before you continue (See <http://wikisuite.org/How-to-install-Let-s-Encrypt-SSL-certificates-on-ClearOS>).

Go to "Server / Communication and Collaboration / Openfire" in the menu (<https://yourserver.wikisuite.org:81/app/openfire>):

1. Click "Edit" in "Setting"
2. Select the security certificate you want to use.

Important notes:

- As ClearOS also manages SSL certificates, they can co-exist independently as their storage files are different and independent. That is, Openfire generated certificates will only be used within Openfire applications.
- As of this writing (2018-04-01, no joke...), Directory Watcher (hot-deploy, <https://yourserver.wikisuite.org:9091/plugins/certificatemanager/certificate-management.jsp>) isn't integrated into the ClearOS app (see <https://github.com/WikiSuite/openfire/issues/5>). Upon Let's Encrypt certificate expiration, just re-do the setup step above, not changing your certificate selection and your certificate will be updated.
- You can access the OpenFire certificate store at:
<https://yourserver.wikisuite.org:9091/security-certificate-store-management.jsp>

Configure Firewall

The Openfire app will take care of opening the following ports:

Port	TCP/UDP	Access Control	Application	Description
5222	TCP	Public	Openfire	The standard port for clients to connect to the server. Offers encryption via StartTLS

5223	TCP	Public	Openfire	Direct SSL/TLS port for clients to connect to the server.
7443	TCP	Public	Openfire	The port used for secured HTTP client connections.
9091	TCP	Administrative	Openfire	The port used for secured (HTTPS) Admin Console access.

However, you will probably want to open more than those. ClearOS's Firewall should configured to block all ports, and open the following:

Port	TCP/UDP	Access Control	Application	Description
22	TPC	Administrative	SSH	Terminal access
25	TCP	Public	OFMeet	SMTP: For emails for Openfire Meeting Planner
80	TCP	Public	(generic)	Web server (HTTP)
81	TCP	Administrative	ClearOS	Webconfig
143	TCP	Public	OFMeet	IMAP: For emails for Openfire Meeting Planner
443	TCP	Public	(generic)	Web server (HTTPS)
587	TCP	Public	OFMeet	SMTP For emails for Openfire Meeting Planner if you use Gmail
993	TCP	Public	OFMeet	IMAPS For emails for Openfire Meeting Planner
4443	TCP	Public	OFMeet	RTP over TCP for Jitsi Videobridge (fallback media proxy for video conferencing)
5222	TCP	Public	Openfire	The standard port for clients to connect to the server. On this port plain-text connections are established, which, depending on configurable security settings, can (or must) be upgraded to encrypted connections.
5223	TCP	Public	Openfire	The port used for clients to connect to the server using the direct SSL/TLS method. Connections established on this port are established using a pre-encrypted connection. This type of connectivity is commonly referred to as the "old-style" or "legacy" method of establishing encrypted connections., but is not inherently 'less' secure. Configuration details can be modified in the security settings.
5269	TCP	Public	Openfire	The port used for remote servers to connect to this server. Connections established on this port are established using a pre-encrypted connection. This type of connectivity is commonly referred to as the "old-style" or "legacy" method of establishing encrypted connections. Configuration details can be modified in the security settings.
7070	TCP	Public	Openfire	The port used for unsecured HTTP client connections.
7443	TCP	Public	Openfire	The port used for secured HTTP client connections.
9090	TCP	Administrative	Openfire	The port used for unsecured (HTTP) Admin Console access.
9091	TCP	Administrative	Openfire	The port used for secured (HTTPS) Admin Console access.
10000	UDP	Public	OFMeet	Single UDP port multiplexing of multiple media streams (preferred media proxy for video conferencing)
50000-60000	UDP	Public	OFMeet	Dynamically allocated ports for media streams (fallback media proxy for video conferencing)

Notes:

- Ports 7070 and 9090 are used for plain HTTP traffic. Each have a more secure HTTPS counterpart: 7443 and 9091


respectively. Consider disabling the HTTP ports, which could hurt interoperability and performance, but will increase security.

Configure Openfire

WARNING: 2018-03-12: In openfire 4.2.2, plugins don't upgrade properly: apparently fixed in 4.2.3 (<https://issues.igniterealtime.org/browse/OF-1464>), which isn't released as of this writing.

1.- Use a web browser to connect to the admin console. The default port for the web-based initial setup admin console is 9090 (9091 for https). Initial setup and administration can be done from a remote computer using LAN IP address instead or hostname if it is resolvable by the remote computer, i.e. (<https://yourserver.wikisuite.org:9090>). The link is provided in the Openfire app for ClearOS.

Source: <http://www.igniterealtime.org/builds/openfire/docs/latest/documentation/install-guide.html>



Install and configure Openfire Plugins

The Openfire app for Clearos will have already installed and done basic setup of the following plugins:

- Openfire Meetings Plugin (For group video conference)
- Openfire Fastpath plugin (For support chat: <http://wikisuite.org/Fastpath>)
- Monitoring plugin (for Message Archive Management support)


Configure Openfire Meetings Plugin

1.- For security, Openfire Meetings Plugin creates a user named "focus". The openfire-app will create this user in ClearOS for you.

Configure Openfire Fastpath plugin

1.- Once the plugin has been successfully installed, the Fastpath tab should be available, click on it to configure Workgroups

(<https://yourserver.wikisuite.org:9091/plugins/fastpath/workgroup-summary.jsp>).




Notes:


- You can find a Quick start guide here: <http://wikisuite.org/Fastpath>.
- The snippet is provided on the Openfire Admin Console (Fastpath -> Workgroup Manager -> Workgroup Settings -> Text).
- jivelive.jsp is available on <https://example.org:9091/webchat/jivelive.jsp> - perhaps you'll need to edit the snippet above, if you're redirecting access to that resource through a reversed proxy.
- There's a simple landing page here: <https://example.org:9091/webchat/> .

Install additional Openfire plugins


- 1.- Log in to your Openfire Admin Console with an administrator user.
- 2.- Click on the Plugins Tab to manage Plugins



3.- Click on the available plugins link and scroll down to find the plugin you want.



4.- Click on then “+” to add the plugin to the Openfire server.




Email on Away	Messages sent to alternate location when recipient is away	1.0	Nick Mosse	4.1 K	✓
Fastpath Service	Support for managed queued chat requests, such as a support team might use.	4.4.0	Jive Software	1.4 MB	✓
GoJara	Proxmox-xxxx Remote Roster Management support	2.2.0	Holger Bergunde / Daniel Henninger / Axel-F. Brand	306.0 K	✓
Hazelcast Clustering Plugin	Clustering support for Openfire, powered by Hazelcast.	2.2.0	Tom Evans	5.5 MB	✓
Jingle Nodes Plugin	Provides support for Jingle Nodes	0.2.0	Jingle Nodes (Rodrigo Martins)	1,014.2 K	✓
JmWeb Plugin	JmWeb plugin is web based platform for managing and monitoring openfire via IMX.	0.0.2	igniterealtime.org	6.2 MB	✓
Just married	Allows admins to rename or copy users	1.2.0	Holger Bergunde	363.9 K	✓
Kraken IM Gateway	Provides gateway connectivity to the other public instant messaging networks	1.3.0	Daniel Henninger	4.8 MB	✓
Load Statistic	Logs load statistics to a file	1.2.0	Jive Software	11.1 K	✓
MUC Service	(Deprecated) Please use the REST API Plugin. MUC administration over REST Interface	0.2.3	Roman Soldatow	2.4 MB	✓
Monitoring Service	Monitors conversations and statistics of the server.	1.5.0	Jive Software	4.6 MB	✓
NotD (Message of the Day)	Allows admins to have a message sent to users each time they log in.	1.2.0	Ryan Graham	17.7 K	✓
Nodes	Integrates Node.js Applications with Openfire.	0.1.0	igniterealtime.org	14.9 MB	✓
Openfire Meetings	plugin installed successfully.				✓
Openfire Websocket	Provides WebSocket support for Openfire.	1.1.3	Tom Evans	118.4 K	✓
Packet Filter	Rules to enforce ethical communication	3.3.0	Nate Putnam	98.4 K	✓
Presence Service	Exposes presence information through HTTP.	1.7.0	Jive Software	28.4 K	✓
REST API	Allows administration over a RESTful API.	1.2.2	Roman Soldatow	2.5 MB	✓
Rayo Plugin	Provides support for XEP-0327	0.1.0	Ignite Realtime Community	19.8 MB	✓
Registration	Performs various actions whenever a new user account is created.	1.7.0	Ryan Graham	46.8 K	✓
SIP Phone Plugin	Provides support for SIP account management	1.2.0	Ignite Realtime	574.8 K	✓
STUN server plugin	Adds STUN functionality to Openfire	1.2.0	Ignite Realtime	98.0 K	✓
Subscription	Automatically accepts or rejects subscription requests	1.4.0	Ryan Graham	20.1 K	✓
Use User Profiles	Enables users and administrators to use	1.1.0	Jive Software	20.4 K	✓

Add more Openfire admins


Currently, the Openfire clearos app only allows adding one admin user. As of this writing (2017-03-14), it will even clobber all other admins except the newly selected one if you change it.

1.-There is no ClearOS group for the Openfire admins. To add more admins, you need to go into the Openfire admin interface Server -> Server Manager -> System Properties -> admin.authorizedJIDs .

Edit server properties (<https://yourserver.wikisuite.org:9091/server-properties.jsp>).



2.- Find the admin.authorizedJIDs property, edit it and add comma-separated full JIDs. In our specific case [user@example.org](#). "Click on Save Property".



3.- Openfire needs a restart. Log in to your ClearOS via SSH using root and type:

service openfire restart

Configure Tiki, ConverseJS and OpenFire

To get a transparent authentication between ConverseJS and Openfire, we need to configure Tiki and install the TikiToken plugin (<https://github.com/igniterealtime/openfire-tikitoken-plugin>) in OpenFire.

1 - The Tiki Token plugin is now shipping as an optional plugin in Openfire 4.1.5 Just activate as you would for any Openfire plugin. (You may also find more recent snapshots at Download the latest tikitoken.jar at <https://github.com/igniterealtime/openfire-tikitoken-plugin/releases>).

2 - Go to server properties page at <http://yourserver.wikisuite.org:9090/server-properties.jsp> and set up a new property with name **org.tiki.tikitoken.baseUrl** and property value will be your tiki base url; let's suppose **http://tiki.wikisuite.org**.

The screenshot shows the Openfire Admin Console interface. The browser address bar displays `yourserver.wikisuite.org:9090/server-properties.jsp#edit`. The main content area lists various server properties. The property `org.tiki.tikitoken.baseUrl` is highlighted, and its value is being edited in a text field to `http://tiki.wikisuite.org`. Below the list, the 'Edit property' dialog is open, showing the same property name and value. The 'Property Encryption' section has two radio buttons: 'Encrypt this property value' (unselected) and 'Do not encrypt this property value' (selected). At the bottom of the dialog are 'Save Property' and 'Cancel' buttons. The footer of the console shows navigation links: 'Server', 'Users/Groups', 'Sessions', 'Group Chat', 'Plugins', and 'Meetings'. It also states 'Built by Jive Software and the IgniteRealtime.org community'.

Property Name	Value	Icon 1	Icon 2	Icon 3
log.debug.enabled	true		+	x
org.tiki.tikitoken.baseUrl	http://tiki.wikisuite.org		+	x
provider.auth.className	org.jivesoftware.openfire.Idap.LdapAuthProvider		+	x
provider.group.className	org.jivesoftware.openfire.Idap.LdapGroupProvider		+	x
provider.user.className	org.jivesoftware.openfire.Idap.LdapUserProvider		+	x
provider.vcard.className	org.jivesoftware.openfire.Idap.LdapVCardProvider		+	x
sasl.scram-sha-1.iteration-count	4096		+	x
setup	true		+	x
stream.management.active	true		+	x
stream.management.requestFre...	5		+	x
update.lastCheck	1492045943803		+	x
xmpp.auth.anonymous	false		+	x
xmpp.domain	yourserver.wikisuite.org		+	x
xmpp.fqdn	yourserver.wikisuite.org		+	x
xmpp.session.conflict-limit	0		+	x
xmpp.socket.ssl.active	true		+	x

Edit property

Property Name: org.tiki.tikitoken.baseUrl

Property Value:

Property Encryption:

☐ Encrypt this property value

☒ Do not encrypt this property value

Server | Users/Groups | Sessions | Group Chat | Plugins | Meetings

Built by Jive Software and the IgniteRealtime.org community

3 - Configure Tiki to talk to OpenFire. Go to the community page on the admin panels (RTC page on Tiki 19+), select the XMPP tab, and:

- Check the **XMPP client (ConverseJS)**.
- On **XMPP server host** field, type **yourserver.wikisuite.org**.
- On **XMPP http-bind url** field, type <https://yourserver.wikisuite.org:7070/http-bind/>.
- Check **XMPP Openfire Token**.
- Click on **Apply**.

The screenshot shows a web browser window with the URL `tiki.wikisuite.org/tiki-admin.php?page=community#contentadmin_community-5`. The page is titled "Community" and has a sub-header "User specific features and settings". There are tabs for "Groups", "Users", "Permissions", "Activity Rules", "Community Features", "Social Interaction", "Plugins", "BigBlueButton", and "XMPP". The "XMPP" tab is selected. Below the tabs, there is a section for "XMPP" configuration. It includes a checkbox for "XMPP client (ConverseJS)" which is checked. There are three input fields: "XMPP server host" with the value "yourserver.wikisuite.org", "XMPP http-bind url" with the value "http://yourserver.wikisuite.org:7070/http-bind/", and "XMPP Openfire Token" which is empty. Each input field has an information icon and a refresh icon. At the bottom of the configuration section is an "Apply" button. Below the configuration section is a "Menu" sidebar with links for "Home", "Search", and "Wiki". At the bottom right of the page is a "Toggle chat" button.


4 - Still on Tiki, go to the "Admin Modules" panel (http://tiki.wikisuite.org/tiki-admin_modules.php).

5 - Click on the "All modules" tab.

WikiSuite: The most comprehensive and integrated Open Source enterprise solution.

6 - On field **Filter** type xmpp .

7 - Drag the result to the bottom of the page, in the closest gray-bordered box.



8 - Just save and the popup will appear.

9 - Refresh the page to see the box at the bottom of the page.

Alternatively, you can put [PluginXMPP](#) in a wiki page (Tiki19+).

Additional configuration

File uploads

This needs to be activated (server-wide, not on a room-by-room basis). The only thing that needs to be done here is to install an Openfire plugin called "HTTP File Upload". Once it is installed, compliant clients will discover the availability of the feature, and start offering the related functionality.

To install a plugin, log in to the Openfire admin console. Find the "Plugins" tab. If the "HTTP File Upload" plugin is not listed in the collection of installed plugins, click on "available plugins" in the left-hand side menu, and install the plugin.

For everyone to see the status of everyone (Contact list group sharing)

The screenshot shows the Openfire Admin Console interface. The browser address bar displays `https://wikisuite.net:9091/group-edit.jsp?group=allusers`. The Openfire logo is in the top left, and the user is logged in as 'marc' in the top right. The main navigation bar includes 'Server', 'Users/Groups', 'Sessions', 'Group Chat', 'Plugins', 'Fastpath', and 'Meetings'. The 'Users/Groups' section is active, with 'Groups' selected. The left sidebar lists 'Group Summary', 'Group Options', 'Edit Group' (highlighted), 'Delete Group', and 'Create New Group'. The main content area is titled 'Edit Group' and contains two sections: 'Edit Details' and 'Contact List (Roster) Sharing'. In the 'Edit Details' section, the 'Group Name' is 'allusers' and the 'Description' is 'All Users'. In the 'Contact List (Roster) Sharing' section, the 'Enable contact list group sharing' radio button is selected. Below this, the 'Enter contact list group name' field contains 'allusers', and the 'Share group with:' section has 'Users of the same group' selected. A 'Save Contact List Settings' button is at the bottom.

Openfire 4
Logged in as marc - [Log Out](#)
Clustering status - Disabled

Server Users/Groups Sessions Group Chat Plugins Fastpath Meetings

Users Groups

Group Summary
Group Options
Edit Group
Delete Group
Create New Group

Edit Group

Edit group settings and add or remove group members and administrators using the forms below.

Edit Details

* Required fields

Contact List (Roster) Sharing

You can use the form below to automatically add this group to users' contact lists. **When enabled**, this group will only appear in the contact lists of the group's members. However, you can share this group with all users or members of other groups.

☐ Disable contact list group sharing
☒ Enable contact list group sharing

Enter contact list group name


Share group with:

☒ Users of the same group
☐ All users
☐ The following groups:

Save Contact List Settings

Configure email


Go to <https://yourserver.demo.wikisuite.org/webmail> to access Roundcube, then log in with your username and password.



In ClearOS


Options about sending emails

<https://example.org:81/app/smtp>



Options about receiving emails


<https://example.org:81/app/imap>



In Openfire


Edit the email setting in the Server Manager tab as in the image:

<https://example.org:9091/system-email.jsp>



Edit the email listener in the Meeting tab as in the image:

<https://example.org:9091/plugins/ofmeet/ofmeet-email-listener.jsp>



Avoiding non-standard ports


In some contexts, (corporate environments, captive portals in Internet cafes, etc.), some ports can be blocked. Thus, if you want to get rid of a port number, you can input the following apache configuration (Apache 2.4+ so you need ClearOS 7.x):

```
ProxyPass /ofmeet/ http://localhost:7070/ofmeet/ ProxyPassReverse /ofmeet/ http://localhost:7070/ofmeet/ ProxyPass /ofmeetws/ wss://localhost:7070/ofmeetws/ ProxyPassReverse /ofmeetws/ wss://localhost:7070/ofmeetws/
```


Team room

To create a private room

Go on "Group Chat" tab.



Then go to "Create new room" in the left menu.



Fill out the appropriate fields (Minimum Room ID, Room Name and Description). Finish by clicking on the Save Changes button.

For use the private room

Note: This will be replaced by ConverseJS.

- Web access with CandyChat

Go to <https://example.org:7443/ofmeet/candy.html>
then log in with your account access.

- WebRTC access

With <https://example.org:7443/ofmeet/> (from which you can pick a room)

- XMPP client access

with [Spark](#) in a login session, click on the "Action" tab, then the "Join a chatroom" option. In a new pop up, double-click in the list on the desired chatroom.

With [Jitsi](#) in a login session, click on the "File" tab, then the "Join a chatroom" option. In the new pop up, select the desired account and input a chatroom name.

Call in and out of WebRTC conferences with a SIP account

- Requires OFMeet 0.9.5, which now has [Jigasi](#): In Openfire's admin console, navigate to Meetings > Meetings > Gateway to SIP and fill out an account.

Remote Control of Keyboard and Mouse

Nearly ready: <https://github.com/igniterealtime/Pade/issues/24>

This requires users to install an app on their desktop (Windows / GNU/Linux / MacOSX) and to have the Openfire plugin for Chrome.

How to use

- You as the person who is actively sharing a screen can select the panel of a participant on the film strip. If video is **not** working, you will not get any video panels. If you do, then you can select any and then click on remote control icon. The person on the other end will be notified that they have control of your desktop
- You as a participant can request remote control of an active screenshare from the desktop owner by clicking on the remote control icon. The owner will receive a popup window requesting an accept or decline. If request is accepted, then remote control will be given.

STUN / TURN server

- Todo later Marc: discuss with Dele (What / How to install and what ports to open)

Advanced configuration

- If your XMPP server is not on the same server as your website, and you want to support (typically older) XMPP clients which don't support SRV records, you will need something like <http://sourceforge.net/p/penloadbalancer/wiki/penctl.1/>

Pàdé XMPP client

Please see [Pàdé](#)

Todo: Make sure these installation instructions provide great security

- Secure by default. Remove all http, and force https.
- Ref: http://wiki.xmpp.org/web/Securing_XMPP#Openfire
- Not like this: [IM Observatory](#) [Test](#).
- Verify that documenting leads to respecting [Public Statement Regarding Ubiquitous Encryption on the XMPP Network](#).

Related links

- <http://igniterealtime.org/projects/openfire/documentation.jsp>
- <https://www.clearos.com/clearfoundation/social/community/how-to-install-openfire-3-7-1-on-cos-6-3-64bit-manual-install>
- <http://rtcquickstart.org/guide/RTCQuickStartGuide.pdf>
- [How to install Spark](#)

Source code

Source	Packages
https://github.com/WikiSuite/app-openfire	http://koji.clearos.com/koji/packageinfo?packageID=303
https://github.com/WikiSuite/app-openfire-plugin	http://koji.clearos.com/koji/packageinfo?packageID=311
https://github.com/WikiSuite/openfire	http://koji.clearos.com/koji/packageinfo?packageID=302

Troubleshooting

Changing Openfire configuration when you can't log in to the system database

Openfire stores its configuration in the database. On ClearOS, that is the system database.

Getting into the ClearOS system database can be a little confusing the first time. ClearOS typically runs two database servers. You will need the system database root password, and to connect to a non-default socket. Here is how:

```
cat /var/clearos/system_database/reports
mysql -u root openfire -p --socket /var/lib/system-mysql/mysql.sock
```

You can then edit the Openfire configuration, which is stored in the ofProperty table. (SELECT * FROM `ofProperty`)

One change you are likely to want to make during debugging is to enable ldap debugging

```
INSERT INTO `openfire`.`ofProperty` (`name`, `propValue`, `encrypted`) VALUES ('log.debug.enabled',
'true', NULL);
exit
service openfire restart
tail -f /var/log/openfire/debug.log
```

Useful references:

- * [Openfire LDAP guide](#)
- * [ClearOS: Re-initialize your LDAP directory](#)

It used to work, but I just lost access when I installed the Directory app.

The problem is most likely that your base domain changed.

OpenLdap on base ClearOS creates domains of the form:

dc=system,dc=lan

Unfortunately, if you install the ClearOS directory app AFTER Openfire, your base domain is likely to change. It's going to be:

WikiSuite: The most comprehensive and integrated Open Source enterprise solution.

If "Base Domain" is your.domain.name,
your base DN will be:
dc=your,dc=domain,dc=name

Openfire will not update its configuration automatically. You'll have to update the following ofProperty in Openfire's database

- * ldap.baseDN (as is)
- * ldap.searchFilter (modify the value in the parenthesis as appropriate)

Testing OpenLDAP from the command line

This should work:

```
ldapsearch -x -h localhost -b 'dc=your,dc=domain,dc=name' 'uid=your_openfire_admin_user'
```

If the above does not return your user, logging into the Openfire admin console will NOT work.

This may help diagnose:

```
ldapsearch -x -h localhost
```

Should list all users. If you don't see yours, something is really wrong with your ldap configuration.

alias

- [How to install and Configure Openfire Meetings on ClearOS](#)